



PEST MORTEM (INDIA) PRIVATE LIMITED
 (Approved by National Plant Protection Organization, Government of India)
 Gali No.5, Laxmi Nagar Jandli Road, Near Model Town Ambala City-134004 (Hr.)

FUMIGATION CERTIFICATE

S.No. 001231

Certificate Number : PMI/A/MB/001231/15-16

Dte. PPQS Regd. No : 0228/MB/ DATED : 20.11.2007

Date of issue : 01/02/2016

This is to certify that the following regulated articles have been fumigated according to the appropriate procedures to conform to the current phytosanitary regulations of the importing country :

Details of goods
 Description of goods : 24.000 M/T 1121 BROWN BASMATI GOLDEN SELLA RICE
 NET WT. 24.000 M/T / GROSS WT.24.060 M/T

Quantity declared : PACKING AS PER INVOICE

Distinguishing marks :

Consignment link / container number : 01X20' CONTAINER NO.
 TCKU-1627362

Port & country of loading : ICD SONEPAT
 Name of the vessel :

Country of destination : GERMANY
 Port of entry : HUMBURG, GERMANY

Name & address of consignor /Exporter : CHAMAN LAL SETIA EXPORTS LTD., MEERANKOT ROAD, P.O.CENTRAL JAIL, AJNALA
 ROAD, AMRITSAR-143001, PUNJAB TEL: 0183-2590318 FAX: 0183-2590453
 SHIPPER BRANCH OFFICE: KAITHAL ROAD, KARNAL, HARYANA, INDIA

Declared name & address of consignee : EURO BASMATI GMBH
 KLUETJENFELDER STR 8 20457 HAMBURG, GERMANY
 TEL: +49 40/79 750 79 0 FAX: +49 40/79 750 79-39

Details of treatment

Name of fumigant : METHYL BROMIDE

Place of Fumigation : KARNAL

Dosage of fumigant (gms/cu.mt.) : 48GMS/M3

Fumigation performed in enclosure under gas tight sheet

Container pressure test conducted

Container has 200 mm. free air space at top of container

in transit fumigation -Needs ventilation at port of discharge

Container has been ventilated to below 5 ppm v/v Methyl bromide

Wrapping and Timber

Has the commodity been fumigated prior to lacquering, varnishing, painting or wrapping

Has plastic wrapping been used in the consignment ?

* If yes, has the Consignment been fumigated prior to wrapping ?

* Or has the plastic wrapping been slashed, opened, or perforated in accordance with the wrapping and perforation Standard ?

Is the timber in this consignment less than 200 mm. thick in one dimension and correctly spaced every 200 mm. in height ?

Additional declaration

INVOICE NO. 10742 DTD.22.01.2016

BUYER'S ORDER NO. CLS-BAS-3358-2016 DTD.07.01.2016

NOTE:-(To compensate temp. below 21. C 16gms added. To the standard dose 32 gms/M3 at 21. C

I declare that these details are true & correct and the fumigation has been carried out in accordance with the NSPM-12

Signature & Name of Accredited Fumigation Operator

DPPQ&S Accreditation No.

AFAS Accreditation No.

Endorsed by Specified PPQ official (in case of non-accredited agency)

Signature:

Name:

Accreditation No.

Date of fumigation : 25/01/2016
 Duration of Fumigation(hrs): 24 HRS.
 Minimum air temperature(Deg.cen): 13.C

NA
 NA
 NA
 YES
 YES
 NO
 NA
 NA
 NA



KAMAL SINGH

Regd. No. 232011107

No. 5, Laxmi Nagar,
 Jandli Road, Near Model Town,
 Ambala City (HR)

Regd. Office : G2 Sunder Tower, T.J.Road, Sewree (West), Mumbai-400 015. Tel.: 2414 7425 / 2412 7935 / 24155249
 Fax : 91-22-24150261 Graft : Pestmort, E-mail : pestmort@bom3.vsnl.net.in Web site : www.pestmortem.com

No financial liability attaches to or is assumed by the certifying company, its Directors or Representatives in respect to this certificate.